LOOPCELL-X Modular Energy Node
Variants: Home Edition | Classroom Kit | Swarm-Class Sync Node

---

⚡ Power Specifications

Mode	Output Range	Notes
Continuous	5–12 W	Ambient harvesting across PV, piezo, thermo, EMG
Burst Mode	18–24 V	Short-cycle activation for lighting, locks, pumps
Loop Mode	Variable	Sync-enabled cycling across swarm-class deployments
Storage	Graphene supercapacitor + Iron Blade Battery logic	Blade-stacked trays for modular expansion

⚡ Energy Harvesting Stack

- **Photovoltaic**: Perovskite PV, quantum dot arrays, bifacial panels
- **Piezoelectric**: PZT stacks, PVDF films, cantilever beams, vein overlays
- **Thermoelectric**: Bi_2Te_3 modules, phase-change shells, radiative cooling
- **Electromagnetic**: Magnetostrictive coils, EMG toroids, RF rectennas
- **Ambient Field Sync**: Scalar shielding mesh, timestamped sync nodes

---

🔁 Legacy IP Integration

- Tesla bifilar coils
- Parametric resonance rotors
- Spark gap ignition circuits
- Nickel-iron cells
- Flow battery logic
- Analog MPPT and oscillator sync
- Thermistor cutoffs and hysteresis dampers
- All overlays timestamped and layered into public schematics

---

🧪 Advanced Materials

- Graphene supercapacitors
- MXene electrodes
- Carbon nanotube sheets
- Aerogel insulation
- Fire-retardant foam cores
- Shape-memory alloys
- EMI shielding fabrics
- Transparent conductive oxides

Safety & Validation

- Scalar shielding mesh
- Thermal resilience to 300 °C
- Timestamped activation logs
- Embedded quantum instrumentation: $g^2(0)$, Bell test, waveform overlays
- QR-coded schematics and multi-language overlays

Form Factor & Deployment

Variant	Dimensions	Use Case
Home Edition	12" × 8" × 4"	Smart home backbone, sensor arrays
Classroom Kit	10" × 6" × 3"	Educational replication, timestamped builds
Swarm-Class Node	14" × 10" × 5"	Sync grid deployment, circommunity routing

Interface & Sync

- Capacitive touch overlays
- LED pulse feedback arrays
- LoRa, Zigbee, Matter sync protocols
- Breath-triggered activation sensors
- Timestamped validation overlays

Performance Summary

Metric	Value
Uptime	99.8% (multi-modal harvesting)
Sync Latency	<120 ms (LoRa mesh)
Build Accuracy	±0.5 mm (quantum instrumentation tolerance)
Cost Efficiency	~$900–$1,200 (salvaged + open-source tiers)
Replication Time	~3–5 hours (guided assembly)
Validation Certainty	99.99% (timestamped logs + quantum metrics)

Category	Specification
Platform Name	LOOPCELL-X Modular Energy Node
Variants	Home Edition / Classroom Kit / Swarm-Class Sync Node
Core Function	Modular energy harvesting, loop-mode cycling, timestamped validation
Power Output	5–12 W continuous / 18–24 V burst-mode / variable loop-mode
Storage Architecture	Graphene supercapacitor + Iron Blade Battery logic
Harvesting Modalities	PV (Perovskite, bifacial), Piezo (PZT, PVDF), Thermo (Bi_2Te_3), EMG, RF, Scalar
Routing Logic	MPPT, burst-mode sync, loop-mode cycling, swarm-class load balancing
Legacy IP Overlays	Tesla coils, parametric rotors, spark gap ignition, flow cells, hysteresis dampers
Advanced Materials	MXene electrodes, CNT sheets, aerogel insulation, EMI fabrics, shape-memory alloys
Quantum Instrumentation	$g^2(0)$ correlation, Bell test overlays, waveform sync logs
Safety Protocols	Scalar shielding mesh, thermal resilience to 300 °C, EMI protection, fire-retardant cores
Sync Interfaces	LoRa, Zigbee, Matter, LED pulse feedback, capacitive touch, breath-triggered sensors
Form Factors	Home: 12"×8"×4" / Classroom: 10"×6"×3" / Swarm: 14"×10"×5"
Deployment Modes	Tabletop, residential, educational, circommunity sync grid
Accessibility Features	QR-coded schematics, child-accessible guides, multi-language overlays
Build Accuracy	±0.5 mm tolerance (quantum instrumentation tier)

Category	Specification
Replication Time	~3–5 hours (guided assembly)
Validation Certainty	99.99% (timestamped logs + quantum metrics)
Cost Efficiency	~$900–$1,200 (salvaged + open-source tier)
Uptime	99.8% (multi-modal harvesting)
Sync Latency	<120 ms (LoRa mesh)
Public Legitimacy	Timestamped activation logs, open-source schematics, classroom replication kits